

2009 Air Emissions Monthly Summary - Southwestern Region

ADM Agri-Industries Ltd.

5550 Maplewood Drive
Essex

Sector: Miscellaneous Industrial
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED PARTICULATE MATTER

Legislation Non-Compliance

January 1, 2009 - December 31, 2009	120	ug/m3	24 hour avg	1 exceedance	265	265	Other	Assessment Underway
--	-----	-------	----------------	--------------	-----	-----	-------	---------------------

Total Legislation Non-Compliance = 1 exceedance
Based on Air Dispersion Modeling

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

BP Canada Energy Company - Sarnia

1182 Plank Rd
Sarnia

Sector: Organic Chemical Manufacturing
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

CARBON DISULFIDE

Legislation Non-Compliance

March 27, 2009	330	µg/m3	30min avg	1 exceedance	1555	1555	Other	Other Abatement Action Taken
----------------	-----	-------	-----------	--------------	------	------	-------	------------------------------

Total Legislation Non-Compliance = 1 exceedance
Based on Air Dispersion Modeling

HYDROGEN SULFIDE

Legislation Non-Compliance

March 27, 2009	30	µg/m3	30min avg	1 exceedance	14000	14000	Other	Other Abatement Action Taken
----------------	----	-------	-----------	--------------	-------	-------	-------	------------------------------

Total Legislation Non-Compliance = 1 exceedance
Based on Air Dispersion Modeling

OPACITY

Legislation Non-Compliance

January 22, 2009	20	% Opacity	6min avg	1 day of exceedances	100	100	Equipment Modified - Repaired - Replaced or Re- calibrated	Assessment Complete - No Action Required
------------------	----	--------------	----------	-------------------------	-----	-----	--	---

Total Legislation Non-Compliance = 1 day of exceedances

TOLUENE

Legislation Non-Compliance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

BP Canada Energy Company - Sarnia

1182 Plank Rd
Sarnia

Sector: Organic Chemical Manufacturing
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
March 27, 2009	2000	µg/m3	30min avg	1 exceedance	3760	3760	Other	Other Abatement Action Taken

Total Legislation Non-Compliance = 1 exceedance
Based on Air Dispersion Modeling

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

Clean Harbors Canada, Inc. - St. Clair

4090 Telfer Rd Lots 8 & 9, Concession 10
St. Clair

Sector: Miscellaneous Industrial
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

NAPTHALENE

Policy/Guideline Non-Conformance

August 18, 2009 - August 25, 2009	36	µg/m3	30min avg	9 exceedances	50	110	Operational Process Modification	Assessment Underway
--------------------------------------	----	-------	-----------	---------------	----	-----	-------------------------------------	---------------------

Total Policy/Guideline Non-Conformance = 9 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

CM Greenfield Power Corp.

Lots 1-3 Front Conc N side Bickford Line
St. Clair

Sector: Miscellaneous Industrial
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

CARBON MONOXIDE

CofA/Permit Non-Compliance

April 20, 2009	60	ppm	rolling avg	1 exceedance	999.5	999.45	Other	Assessment Underway, Other Abatement Action Taken
September 29, 2009 - September 30, 2009	60	ppm	rolling avg	51 exceedances	60.29	213	Other	Assessment Complete - No Action Required
December 29, 2009	60	ppm	rolling avg	2 exceedances	64.12	65.54	Other	Assessment Underway, Other Abatement Action Taken

Total CofA/Permit Non-Compliance = 54 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

East Windsor Cogeneration Inc.

3150 Wyandotte St E
Windsor

Sector: Miscellaneous Industrial
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

CARBON MONOXIDE

CofA/Permit Non-Compliance

December 25, 2009	60	ppm	/hr	66 exceedances	63.4	81	Equipment Modified - Repaired - Replaced or Re- calibrated	Assessment Complete - No Action Required, Other Abatement Action Taken
-------------------	----	-----	-----	----------------	------	----	--	--

Total CofA/Permit Non-Compliance = 66 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

IGPC Ethanol Inc.

89 Progress Dr.
Aylmer

Sector: Miscellaneous Industrial
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACROLEIN

CofA/Permit Non-compliance

January 1, 2009 - November 30, 2009	0.08	µg/m3	24hr avg	1 exceedance	0.14	0.14	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Conducting Study	Voluntary Abatement Program Underway
January 1, 2009 - November 30, 2009	0.24	µg/m3	30min avg	1 exceedance	0.41	0.41	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Conducting Study	Voluntary Abatement Program Underway

Total CofA/Permit Non-compliance = 2 exceedances
Based on Air Dispersion Modeling

ODOUR

CofA/Permit Non-compliance

January 1, 2009 - December 31, 2009	1	Odour Units	10 min avg	1 exceedance	10	10	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Conducting Study	Voluntary Abatement Program Underway
--	---	----------------	------------	--------------	----	----	--	---

Total CofA/Permit Non-compliance = 1 exceedance
Based on Air Dispersion Modeling

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

Imperial Oil

602 Christina St
Sarnia

Sector: Petroleum Refineries
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

OPACITY

Legislation Non-Compliance

February 16, 2009	20	% Opacity	6min avg	1 day of exceedances	86	86	Equipment Modified - Repaired - Replaced or Re- calibrated	Other Abatement Action Taken
May 05, 2009	20	% Opacity	6min avg	1 day of exceedances	21	27	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
July 4, 2009 - July 5, 2009	20	% Opacity	6min avg	2 days of exceedances	21	41	Equipment Modified - Repaired - Replaced or Re- calibrated, Operational Process Modification	Assessment Complete - Incident Resolved
November 29, 2009	20	% Opacity	6min avg	1 day of exceedances	42.5	42.5	Operational Process Modification	Assessment Complete - Incident Resolved
December 30, 2009	20	% Opacity	6min avg	1 day of exceedances	42.5	42.5	Ceased Operations, Operational Process Modification	Other Abatement Action Taken

Total Legislation Non-Compliance = 6 days of exceedances

SULPHUR DIOXIDE

Legislation Non-Compliance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

Imperial Oil

602 Christina St
Sarnia

Sector: Petroleum Refineries
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
February 01, 2009	830	µg/m3	30min avg	1 exceedance	1200.8	1200.8	Operational Process Modification	Other Abatement Action Taken
April 17, 2009	830	µg/m3	30min avg	1 exceedance	1043	1043	Conducting Study, Operational Process Modification	Assessment Complete - Incident Resolved

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

INEOS NOVA Ltd.

872 Tashmoo Ave
Sarnia

Sector: Organic Chemical Manufacturing
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

R-134A

Legislation Non-Compliance

October 04, 2009	0	kg	any	1 exceedance	133	133	Equipment Modified - Repaired - Replaced or Re- calibrated	Assessment Underway
------------------	---	----	-----	--------------	-----	-----	--	---------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

Ontario Power Generation - Western Waste Management Facility

177 Tie Rd
Kincardine

Sector: Miscellaneous Industrial
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
CARBON MONOXIDE								
CofA/Permit Non-Compliance								
May 28, 2009	50	ppm	30min avg	1 exceedance	51	51	Action Plan Submitted - Implementing Improvements	Provincial Officer's Order Issued
August 23, 2009	50	ppm	30min avg	1 exceedance	50.6	50.6	Action Plan Submitted - Implementing Improvements	Provincial Officer's Order Issued

Total CofA/Permit Non-Compliance = 2 exceedances

HYDROCHLORIC ACID (MURIATIC ACID)

CofA/Permit Non-Compliance								
January 4, 2009 - January 8, 2009	75	mg/m3	any	2 exceedances	109	167.53	Conducting Study	Assessment Underway, Provincial Officer's Order Issued
February 19, 2009	75	mg/m3	any	1 exceedance	200	200	Action Plan Submitted - Implementing Improvements	Provincial Officer's Order Issued
February 04, 2009	75	mg/m3	any	1 exceedance	91	91	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Assessment Underway, Provincial Officer's Order Issued

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

Ontario Power Generation - Western Waste Management Facility

177 Tie Rd
Kincardine

Sector: Miscellaneous Industrial
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
May 11, 2009	75	mg/m3	any	1 exceedance	177.5	177.5	Action Plan Submitted - Implementing Improvements	Provincial Officer's Order Issued
June 08, 2009	75	mg/m3	any	1 exceedance	139	139	Action Plan Submitted - Implementing Improvements	Provincial Officer's Order Issued

Total CofA/Permit Non-Compliance = 6 exceedances

OPACITY

CofA/Permit Non-Compliance

February 22, 2009	5	% Opacity	any	1 day of exceedances	7.87	7.87	Action Plan Submitted - Implementing Improvements	Provincial Officer's Order Issued
February 22, 2009	5	% Opacity	any	1 day of exceedances	8.77	8.77	Conducting Study	Provincial Officer's Order Issued
March 12, 2009	5	% Opacity	any	2 days of exceedances	5	5	Action Plan Submitted - Implementing Improvements	Provincial Officer's Order Issued
March 14, 2009	5	% Opacity	any	2 days of exceedances	5	5.1	Conducting Study	Provincial Officer's Order Issued
April 5, 2009 - April 18, 2009	5	% Opacity	any	4 days of exceedances	5	26.92	Action Plan Submitted - Implementing Improvements	Provincial Officer's Order Issued

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

Ontario Power Generation - Western Waste Management Facility

177 Tie Rd
Kincardine

Sector: Miscellaneous Industrial
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
May 12, 2009 - May 13, 2009	5	% Opacity	any	2 days of exceedances	5.79	16.9	Action Plan Submitted - Implementing Improvements	Provincial Officer's Order Issued

Total CofA/Permit Non-Compliance = 12 days of exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

Ontario Power Generation Inc. - Lambton

1886 St. Clair Pky Courtright
St. Clair

Sector: Electric Power Generation
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
OPACITY								
Legislation Non-Compliance								
January 26, 2009 - January 27, 2009	20	% Opacity	6min avg	2 days of exceedances	21	46.9	Ceased Operations, Operational Process Modification	Assessment Complete - Incident Resolved
February 12, 2009 - February 28, 2009	20	% Opacity	6min avg	5 days of exceedances	23	46.5	Ceased Operations, Operational Process Modification	Assessment Complete - Incident Resolved
April 06, 2009	20	% Opacity	6min avg	1 day of exceedances	40.4	40.4	Ceased Operations, Equipment Modified - Repaired - Replaced or Re- calibrated	Assessment Complete - No Action Required
June 24, 2009	20	% Opacity	6min avg	1 day of exceedances	71.3	100	Other	Other Abatement Action Taken
July 28, 2009	20	% Opacity	6min avg	1 day of exceedances	21.5	23.4	Operational Process Modification	Assessment Complete - No Action Required
August 31, 2009	20	% Opacity	6min avg	1 day of exceedances	20.8	25	Other	Assessment Complete - No Action Required

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

Ontario Power Generation Inc. - Lambton

1886 St. Clair Pky Courtright
St. Clair

Sector: Electric Power Generation
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
September 1, 2009 - September 14, 2009	20	% Opacity	6min avg	4 days of exceedances	20.4	61.6	Equipment Modified - Repaired - Replaced or Re- calibrated	Assessment Complete - No Action Required
October 29, 2009	20	% Opacity	6min avg	1 day of exceedances	22.2	22.4	Equipment Modified - Repaired - Replaced or Re- calibrated	Assessment Complete - Incident Resolved
December 6, 2009 - December 30, 2009	20	% Opacity	6min avg	11 days of exceedances	22.6	49.1	Conducting Study	Assessment Underway

Total Legislation Non-Compliance = 27 days of exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

Royal Group Inc.

900 Vidal St S
Sarnia

Sector: Miscellaneous Industrial
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

VINYL CHLORIDE

Legislation Non-Compliance

March 14, 2009	1	µg/m3	/d	1 exceedance	1.6	1.6	Action Plan Submitted - Implementing Improvements	Director's Order Issued
----------------	---	-------	----	--------------	-----	-----	--	-------------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

St. Clair Power, L.P.

West 1/2 of Lot 22, East 1/4 of Lot 23
St. Clair

Sector: Miscellaneous Industrial
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

CARBON MONOXIDE

CofA/Permit Non-Compliance

February 12, 2009 - March 31, 2009	60	ppm	24hr avg	23 exceedances	60.43	589.1	Other	Voluntary Abatement Program Underway
---------------------------------------	----	-----	----------	----------------	-------	-------	-------	---

Total CofA/Permit Non-Compliance = 23 exceedances

NITROGEN OXIDES

CofA/Permit Non-Compliance

February 12, 2009 - March 31, 2009	41.2	ppm	24hr avg	6 exceedances	41.68	64.66	Other	Voluntary Abatement Program Underway
---------------------------------------	------	-----	----------	---------------	-------	-------	-------	---

Total CofA/Permit Non-Compliance = 6 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

St. Marys Cement Inc. (Canada) - St. Marys

585 Water St S
St. Marys

Sector: Industrial Minerals
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

OPACITY

Legislation Non-Compliance

January 4, 2009 - October 3, 2009	20	% Opacity	6min avg	56 days of exceedances	20.1	88.52	Operational Process Modification	Assessment Complete - No Action Required
--------------------------------------	----	--------------	----------	---------------------------	------	-------	-------------------------------------	---

Total Legislation Non-Compliance = 56 days of exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

Suncor Energy Products Inc.

1900 River Rd
Sarnia

Sector: Petroleum Refineries
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

FLUORIDE GAS

Legislation Non-Compliance

November 20, 2009	17.2	µg/m3	30min avg	1 exceedance	18.2	18.2	Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required
-------------------	------	-------	-----------	--------------	------	------	--	---

Total Legislation Non-Compliance = 1 exceedance

SULPHUR DIOXIDE

Legislation Non-Compliance

April 9, 2009 - April 10, 2009	830	µg/m3	30min avg	1 exceedance	1183	1183	Operational Process Modification	Provincial Officer's Order Issued
-----------------------------------	-----	-------	-----------	--------------	------	------	-------------------------------------	--------------------------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

TransAlta Corporation Ltd. - Sarnia 1741 River Rd
Sarnia

Sector: Electric Power Generation
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

NITROGEN OXIDES

CofA/Permit Non-Compliance

February 04, 2009	36.2	ppm	24hr avg	1 exceedance	38.8	38.8	Operational process modification	Assessment Underway
-------------------	------	-----	----------	--------------	------	------	----------------------------------	---------------------

Total CofA/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Air Emissions Monthly Summary - Southwestern Region

Waste Management of Canada Corporation

8039 Zion Rd RR4 Part of Lot 19-20, Conc. 3
Warwick

Sector: Miscellaneous Industrial
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED PARTICULATE MATTER

Legislation Non-Compliance

April 13, 2009 - April 25, 2009	120	µg/m3	24hr avg	2 exceedances	128	298	Other	Voluntary Abatement Program Underway
May 25, 2009 - May 26, 2009	120	µg/m3	24hr avg	2 exceedances	216	239	Other	Voluntary Abatement Program Underway
August 5, 2009 - August 6, 2009	120	µg/m3	24hr avg	2 exceedances	126	136	Other	Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 6 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.